

1. Infografika: Rozdíl mezi glykemickým indexem a zátěží

Metodologie a reference

Metodologie - vlastní zpracování

1. Augustin, L. S. A., Kendall, C. W. C., Jenkins, D. J. A., Willett, W. C., Astrup, A., Barclay, A. W., ... & Brand-Miller, J. C. (2015). *Glycemic index, glycemic load and glycemic response: An international scientific consensus summit from the International Carbohydrate Quality Consortium (ICQC)*, Nutrition, Metabolism and Cardiovascular Diseases, 25(9), 795–815. [LINK](#)
2. Eurostat. (2021). *How often do you drink sugar-sweetened soft drinks?* Eurostat News. [LINK](#)
3. Harvard Health Publishing. (n.d.). *A good guide to good carbs: The glycemic index*. Harvard Medical School. [LINK](#)
4. Ruiz, L. D., & Scherr, R. E. (2018). *Risk of energy drink consumption to adolescent health*. American Journal of Lifestyle Medicine, 13(1), 22–25. [LINK](#)
5. World Health Organization. (2022). *WHO manual on sugar-sweetened beverage taxation policies to promote healthy diets*. World Health Organization. [LINK](#)
6. Zdravá Generace. (2019). *Školáci pijí méně limonád, ale objevili energetické nápoje*. [LINK](#)

Reference

7. Ludwig, D. S. (2000). *Dietary glycemic index and obesity*. The Journal of Pediatrics, 136(1), 90–95. [LINK](#)
8. Malik, V. S., Pan, A., Willett, W. C., & Hu, F. B. (2013). *Sugar-sweetened beverages and weight gain in children and adults: A systematic review and meta-analysis of prospective cohort studies and randomized controlled trials*. The American Journal of Clinical Nutrition, 98(4), 1084–1102. [LINK](#)
9. Pan, A., & Hu, F. B. (2011). *Effects of carbohydrates on satiety: Differences between liquid and solid food*. Current Opinion in Clinical Nutrition and Metabolic Care, 14(4), 385–390. [LINK](#)
10. Philipsborn, P., Stratil, J. M., Burns, J., Busert, L. K., Pfadenhauer, L. M., Polus, S., Holzapfel, C., Hauner, H., & Rehfues, E. A. (2019). *Environmental interventions to reduce the consumption of sugar-sweetened beverages and their effects on health*. Cochrane Database of Systematic Reviews, 2019(6). [LINK](#)
11. Valenzuela, M. J., Waterhouse, B., Aggarwal, V. R., Bloor, K. E., & Doran, T. (2021). *Effect of sugar-sweetened beverages on oral health: A systematic review and meta-analysis*. European Journal of Public Health, 31(1), 122–129. [LINK](#)

2. Infografika: Konzumace nápojů slazených cukrem v Česku v roce 2019

Metodologie a reference

Metodologie - vlastní zpracování na základě dat

1. Eurostat. (n.d.). *Frequency of drinking sugar-sweetened soft drinks by sex, age and income quintile (indicator code: HLTH_EHIS_FV7I)*. European Union. [LINK](#)

Reference

1. Alsukait, R., Wilde, P., Bleich, S. N., Singh, G., & Foltá, S. C. (2020). *Evaluating Saudi Arabia's 50% carbonated drink excise tax: Changes in prices and volume sales*. Economics and Human Biology, 38, Article 100868. [LINK](#)
2. Angelopoulos, T. J., Rippe, J. M., Naismith, D. J., & Cannon, C. P. (2015). *Sugars and health controversies: What does the science say?* Advances in Nutrition, 6(4), 383–386. [LINK](#)
3. Basu, S., McKee, M., Galea, G., & Stuckler, D. (2016). *Relationship of soft drink consumption to global overweight, obesity, and diabetes: A cross-national analysis of 75 countries*. BMJ, 352, h6704. [LINK](#)
4. Claro, R. M., Levy, R. B., Popkin, B. M., & Monteiro, C. A. (2012). *Sugar-sweetened beverage taxes in Brazil: Observational study*. American Journal of Public Health, 102(1), 178–183. [LINK](#)
5. Colchero, M. A., Popkin, B. M., Rivera, J. A., & Ng, S. W. (2016). *Beverage purchases from stores in Mexico under the excise tax on sugar-sweetened beverages: Observational study*. BMJ, 352, h6704. [LINK](#)
6. Guerrero-López, C. M., Unar-Munguía, M., & Colchero, M. A. (2017). *Price elasticity of the demand for soft drinks, other sugar-sweetened beverages and energy dense food in Chile*. BMC Public Health, 17(1), 180. [LINK](#)
7. Powell, L. M., Chriqui, J. F., Khan, T., Wada, R., & Chaloupka, F. J. (2013). *Assessing the potential effectiveness of food and beverage taxes and subsidies for improving public health: A systematic review of prices, demand and body weight outcomes*. Obesity Reviews, 14(2), 110–128. [LINK](#)
8. Sánchez-Romero, L. M., Penko, J., Coxson, P. G., Fernández, A., Mason, A., Moran, A. E., Ávila-Burgos, L., Odden, M., Barquera, S., & Bibbins-Domingo, K. (2016). *Projected impact of Mexico's sugar-sweetened beverage tax policy on diabetes and cardiovascular disease: A modeling study*. PLOS Medicine, 13(11). [LINK](#)
9. Teng, A. M., Jones, A. C., Mizdrak, A., Signal, L., Genç, M., & Wilson, N. (2019). *Impact of sugar-sweetened beverage taxes on purchases and dietary intake: Systematic review and meta-analysis*. Obesity Reviews, 20(9), 1187–1204. [LINK](#)
10. World Health Organization. (2022). *WHO manual on sugar-sweetened beverage taxation policies to promote healthy diets*. World Health Organization. [LINK](#)

3. Infografika: Vliv nápojů slazených cukrem na úmrtí a roky prožité se zdravotním postižením v Česku

Metodologie a reference

Metodologie - vlastní zpracování na základě dat

1. Global Burden of Disease Collaborative Network. (2021). *Global Burden of Disease Study 2019 (GBD 2019) reference life table*. Institute for Health Metrics and Evaluation. [LINK](#)

Reference

1. Alam, Y. H., Kim, R., & Jang, C. (2022). *Metabolism and health impacts of dietary sugars*. Journal of Lipid and Atherosclerosis, 11(1), 20–38. [LINK](#)
2. Pan, B., Ge, L., Lai, H., Wang, Q., Zhang, Q., Yin, M., Li, S., Tian, J., Yang, K., & Wang, J. (2022). *Association of soft drink and 100 % fruit juice consumption with all-cause mortality, cardiovascular diseases mortality, and cancer mortality: A systematic review and dose-response meta-analysis of prospective cohort studies*. Critical Reviews in Food Science and Nutrition, 62(32), 8908–8919. [LINK](#)
3. Svatošová, V. (2022). *Influence of long-term factors on sugar consumption in the Czech Republic*. Listy Cukrovarnické a Řepářské, 138(3), 121–126. [LINK](#)
4. Yin, J., Zhu, Y., Malik, V., Li, X., Peng, X., Zhang, F. F., Shan, Z., & Liu, L. (2021). *Intake of sugar-sweetened and low-calorie sweetened beverages and risk of cardiovascular disease: Systematic review and meta-analysis*. Advances in Nutrition, 12(1), 89–101. [LINK](#)
5. Zhao, L., Qiu, H., Zheng, X., Wang, T., & Wen, L. (2021). *Association of consumption of sugar-sweetened beverages or artificially sweetened beverages with mortality: A systematic review and dose-response meta-analysis of prospective cohort studies*. Advances in Nutrition, 12(3), 892–903. [LINK](#)

4. Infografika: Konzumace přidaného cukru a zdravotní následky

Metodologie a reference

Metodologie - vlastní zpracování

1. Souhrn zjištění z odborných studií. [LINK](#)

Reference

1. Anderson, J. J., Gray, S. R., Welsh, P., Mackay, D. F., Celis-Morales, C. A., Lyall, D. M., Forbes, J., Sattar, N., Gill, J. M. R., & Pell, J. P. (2020). *The associations of sugar-sweetened,*

- artificially sweetened and naturally sweet juices with all-cause mortality in 198,285 UK Biobank participants: A prospective cohort study.* BMC Medicine, 18, 97. [LINK](#)
2. Augustin, L. S. A., Kendall, C. W. C., Jenkins, D. J. A., Willett, W. C., Astrup, A., Barclay, A. W., Björck, I., Brand-Miller, J. C., Brighenti, F., Buyken, A. E., Ceriello, A., La Vecchia, C., Livesey, G., Liu, S., Riccardi, G., Rizkalla, S. W., Sievenpiper, J. L., Trichopoulou, A., Wolever, T. M. S., ... Poli, A. (2015). *Glycemic index, glycemic load and glycemic response: An International Scientific Consensus Summit from the International Carbohydrate Quality Consortium (ICQC).* Nutrition, Metabolism and Cardiovascular Diseases, 25(9), 795–815. [LINK](#)
 3. DiNicolantonio, J. J., & O’Keefe, J. H. (2022). *Added sugars drive insulin resistance, hyperinsulinemia, hypertension, type 2 diabetes and coronary heart disease.* Missouri Medicine, 119(6), 519–523. [LINK](#)
 4. Chen, Z., Wei, C., Lamballais, S., Wang, K., Mou, Y., Xiao, Y., Luo, F., Bramer, W. M., Voortman, T., & Zhou, S. (2024). *Artificially sweetened beverage consumption and all-cause and cause-specific mortality: An updated systematic review and dose-response meta-analysis of prospective cohort studies.* Nutrition Journal, 23(1), 86. [LINK](#)
 5. Freeman, A. M., & Pennings, N. J. (2018). *Insulin resistance.* In StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. [LINK](#)
 6. Imamura, F., O’Connor, L., Ye, Z., Mursu, J., Hayashino, Y., Bhupathiraju, S. N., & Forouhi, N. G. (2015). *Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: Systematic review, meta-analysis, and estimation of population attributable fraction.* BMJ, 351. [LINK](#)
 7. Leung, C. W., Laraia, B. A., Needham, B. L., Rehkopf, D. H., Adler, N. E., Lin, J., Blackburn, E. H., & Epel, E. S. (2014). *Soda and cell aging: Associations between sugar-sweetened beverage consumption and leukocyte telomere length in healthy adults from the National Health and Nutrition Examination Surveys.* American Journal of Public Health, 104(12), 2425–2431. [LINK](#)
 8. Li, Y., Guo, L., He, K., Huang, C., & Tang, S. (2021). *Consumption of sugar-sweetened beverages and fruit juice and human cancer: A systematic review and dose-response meta-analysis of observational studies.* Journal of Cancer, 12(10), 3077–3088. [LINK](#)
 9. Malik, V. S., & Hu, F. B. (2022). *The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases.* Nature Reviews Endocrinology, 18(4), 205–218. [LINK](#)
 10. Malik, V. S., Pan, A., Willett, W. C., & Hu, F. B. (2013). *Sugar-sweetened beverages and weight gain in children and adults: A systematic review and meta-analysis of prospective cohort studies and randomized controlled trials.* American Journal of Clinical Nutrition, 98(4), 1084–1102. [LINK](#)
 11. Nish, A., M.D. (2025). *The link between sugar and aging.* UnityPoint Health. [LINK](#)
 12. Nish, A. (2021). *Sugar’s impact on cognitive function.* UnityPoint Health. [LINK](#)
 13. Rippe, J. M., & Angelopoulos, T. J. (2016). *Relationship between added sugars consumption and chronic disease risk factors: Current understanding.* Nutrients, 8(11), 697. [LINK](#)
 14. Valenzuela, M., Waterhouse, B., Aggarwal, V. R., Bloor, K. E., & Doran, T. (2020). *Effect of sugar-sweetened beverages on oral health: A systematic review and meta-analysis.* European Journal of Public Health, 31(1), 122–129. [LINK](#)
 15. Xi, B., He, D., Zhang, M., Xue, J., & Zhou, D. (2020). *Intake of sugar-sweetened and low-calorie sweetened beverages and risk of cardiovascular disease: Systematic review and meta-analysis.* Advances in Nutrition, 12(1), 89–101. [LINK](#)

16. Zhang, Y.-B., Chen, J.-X., Jiang, Y.-W., Xia, P.-F., Pan, A., Afshin, A., & Micha, R. (2021). *Association of consumption of sugar-sweetened beverages or artificially sweetened beverages with mortality: A systematic review and dose–response meta-analysis of prospective cohort studies*. *Advances in Nutrition*, 12(2), 374–383. [LINK](#)

5. Infografika: Zdanění slazených nápojů

Metodologie a reference

Metodologie - vlastní zpracování

Reference

1. Andreyeva, T., Marple, K., Marinello, S., Huang, Y., & Silver, L. D. (2022). Outcomes following taxation of sugar-sweetened beverages: A systematic review and meta-analysis. *JAMA Network Open*, 5(6). [LINK](#)
2. Cobiac, L. J., Rogers, N. T., Adams, J., Cummins, S., Smith, R., Mytton, O., White, M., Scarborough, P., & et al. (2024). *Impact of the UK Soft Drinks Industry Levy on health and health inequalities in children and adolescents in England: An interrupted time series analysis of surveillance data*. *PLOS Medicine*, 21(3), [LINK](#)
3. Eykelenboom, M., van Stralen, M. M., Olthof, M. R., Schoonmade, L. J., Steenhuis, I. H. M., & Renders, C. M. (2019). *Political and public acceptability of a sugar-sweetened beverages tax: A mixed-method systematic review and meta-analysis*. *International Journal of Behavioral Nutrition and Physical Activity*, 16(1), 78. [LINK](#)
4. Guerrero-López, C. M., Unar-Munguía, M., & Colchero, M. A. (2017). *Price elasticity of the demand for soft drinks, other sugar-sweetened beverages and energy-dense food in Chile*. *BMC Public Health*, 17(1), 180. [LINK](#)
5. Jones-Smith, J. C., Knox, M. A., Arterburn, D., Godwin, E., Rosenblum, L., Gundersen, S., Dalton, W., Liang, W., & Pell, J. P. (2024). *Sweetened beverage tax implementation and change in body mass index among children in Seattle: A cohort study*. *JAMA Network Open*, 7(5). [LINK](#)
6. Lee, M. M., Falbe, J., Schillinger, D., Basu, S., McCulloch, C. E., & Madsen, K. A. (2024). *Sweetened beverage tax implementation and change in body mass index among children in Seattle*. *JAMA Network Open*, 7(3). [LINK](#)
7. PAQ Research. (2023). *Jak danit slazené nápoje: Komparativní analýza a doporučení reformy*. PAQ Research. [LINK](#)
8. Pell, D., Penney, T. L., Hammond, D., Vanderlee, L., White, M., & Adams, J. (2024). *Impact of the UK soft drinks industry levy on health and health inequalities in children and adolescents in England: An interrupted time series analysis and population health modelling study*. *PLOS Medicine*, 21(1). [LINK](#)
9. Policy Analysis Methodology and Knowledge. (2023, July). *Policy briefs to support the adoption and implementation of key policy actions by relevant actors (Deliverable D9.4)*. STOP – European Commission Horizon 2020 [PDF]. [LINK](#)
10. Rogers, N. T., Cummins, S., Forde, H., Jones, C. P., Mytton, O., Rutter, H., Smith, R. D., White, M., Adams, J., Pell, D. J., & Scarborough, P. (2023). *Associations between trajectories*

- of obesity prevalence in English primary school children and the UK Soft Drinks Industry Levy: An interrupted time series analysis of surveillance data.* PLOS Medicine, 20(1). [LINK](#)
11. Rogers, N. T., Conway, D. I., Mytton, O., Roberts, C. H., Rutter, H., Sherriff, A., White, M., & Adams, J. (2023). *Estimated impact of the UK soft drinks industry levy on childhood hospital admissions for carious tooth extractions: Interrupted time series analysis.* BMJ Nutrition, Prevention & Health, 6(2), 243–252. [LINK](#)
 12. Seferidi, P., Laverty, A. A., Pearson-Stuttard, J., Collins, B., Wolters, A. T., & Millett, C. (2023). *Estimated impact of the UK soft drinks industry levy on childhood hospital admissions for carious tooth extractions: Interrupted time series analysis.* BMJ Nutrition, Prevention & Health. [LINK](#)
 13. Smed, S., Scarborough, P., Rayner, M., & Jensen, J. D. (2016). *The effects of the Danish saturated fat tax on food and nutrient intake and modelled health outcomes: An econometric and comparative risk assessment evaluation.* European Journal of Clinical Nutrition, 70(6), 681–686. [LINK](#)
 14. Stafford, N. (2012). *Denmark cancels “fat tax” and shelves “sugar tax” because of threat of job losses.* BMJ, 345, e7889. [LINK](#)
 15. Vallgård, S., Holm, L., & Jensen, J. D. (2015). *The Danish tax on saturated fat: Why it did not survive.* European Journal of Clinical Nutrition, 69(2), 223–226. [LINK](#)
 16. Watt, S. (2024). *What is the impact of the UK soft drinks industry levy on childhood tooth decay?* Evidence-Based Dentistry, 25(2), 91–92. [LINK](#)
 17. World Health Organization. (2024). *Fiscal policies to promote healthy diets: WHO guideline.* World Health Organization. [LINK](#)
 18. Wrobel, A., Cawley, J., Frisvold, D. E., Jones, D., & Platt, A. (2024). *City-level sugar-sweetened beverage taxes and youth body mass index percentile.* JAMA Network Open, 7(3). [LINK](#)
 19. Young, D. R., Hedderson, M. M., Sidell, M. A., Petimar, J. J., Palaniappan, L., Esguerra, J., ... & Kaiser Permanente Research Group. (2024). *City-level sugar-sweetened beverage taxes and youth body mass index percentile: An interrupted time series analysis of surveillance data.* JAMA Network Open, 7(7). [LINK](#)

6. Další použité zdroje: Mýty

1. Allen, L. (2015). *Rejecting a sugar tax is based on faulty logic about the poor.* The Conversation (University of Oxford). [LINK](#)
2. Cancer Council Australia. (2025). *Arguments against a sugar-sweetened beverage tax in Australia.* Obesity Evidence Hub. [LINK](#)
3. Guerrero-López, C. M., Molina, M., & Colchero, M. A. (2017). *Employment changes associated with the introduction of taxes on sugar-sweetened beverages and nonessential energy-dense food in Mexico.* Preventive Medicine, 105S, S43–S49. [LINK](#)
4. Riediger, N. D., & Bombak, A. E. (2018). *Sugar-sweetened beverages as the new tobacco: Examining a proposed tax policy through a Canadian social justice lens.* Canadian Medical Association Journal, 190(11), E327–E330. [LINK](#)
5. World Health Organization. (2017). *Taxes on sugary drinks: Why do it?* (WHO-NMH-PND-16.5 Rev. 1). WHO. [LINK](#)